

Application No.: 09/839,664
Response to OA of 06/156/05

Listing of the Claims

This listing of claims will replace all prior versions and listings of the claims:

1. (currently amended) A method of validating an e-ticket, comprising the steps of:
 - a) sending the e-ticket from an initial receiving server S_i to a plurality of servers including S_i , wherein each server returns an answer indicative of whether that server previously answered an inquiry for the e-ticket;
 - b) collecting the identities of the answering servers in an answer set, REPLIES_i^T ;
 - c) broadcasting the e-ticket and the answer set REPLIES_i^T to the plurality of servers, if at least one server previously answered an inquiry for the e-ticket; and
 - d) collecting the identity of any server S_k broadcasting the e-ticket and an associated answer set REPLIES_k^T in a second answer set, SRVS_k^T , upon receipt of the broadcast.
2. (original) The method of claim 1 wherein step b) is performed until a majority of servers has answered.
3. (currently amended) The method of claim 1 wherein step d) is repeated as long as S_i has not received its own broadcast and there is no server S_k in the second answer set SRVS_k^T such that the associated answer set REPLIES_k^T is a subset of the second answer set SRVS_k^T .
4. (currently amended) The method of claim 1 further comprising the step of:
 - e) accepting the e-ticket if S_i receives its own broadcast and the answer set REPLIES_i^T is a subset of the second answer set SRVS_i^T .
5. (currently amended) The method of claim 1 further comprising the step of:

Application No.: 09/839,664
Response to OA of 06/156/05

d) rejecting the e-ticket if S_i has received its own broadcast and the answer set REPLIES^I is not a subset of the second answer set SRVS^I.

6. (currently amended) The method of claim 1 further comprising the step of:

d) rejecting the e-ticket if the answer set REPLIES^I is a subset of the second answer set SRVS^I and S_i has not received its own broadcast.

7. (original) The method of claim 1 wherein the e-ticket represents a prior reservation of goods or services.

8. (original) The method of claim 1 wherein the e-ticket contains no information specifically identifying the owner.

9. (original) The method of claim 1 wherein broadcasts are performed in accordance with a selected one of a pure atomic broadcast, a general broadcast, a CT-broadcast, and an OPT-broadcast protocol.

10. (original) A method of validating an e-ticket, comprising the steps of:

a) sending the e-ticket from an initial receiving server S_i to a plurality of servers including S_i , wherein each server returns an answer indicative of whether that server previously answered any inquiry for the e-ticket;

b) selecting a conflict mode if at least one selected server of a majority of servers answered a previous inquiry for the e-ticket; and

c) selecting a conflict-free mode if none of the majority of servers has answered any previous inquiry for the e-ticket.

11. (original) The method of claim 10 wherein step c) further comprises the step of:

i) accepting the e-ticket.

12. (currently amended) The method of claim 10 further comprising the step of:

Application No.: 09/839,664
Response to OA of 06/156/05

d) collecting the identities of the answering servers in an answer set, REPLIES^T.

13. (currently amended) The method of claim 12 wherein step b) further comprises the steps of:

i) broadcasting the e-ticket and the answer set REPLIES^T to the plurality of servers; and

ii) collecting the identity of any server S_k broadcasting the e-ticket and an associated answer set REPLIES^T in a second answer set, SRVS^T, upon receipt of the broadcast.

14. (currently amended) The method of claim 13 wherein step b) (ii) is repeated as long as S_i has not received its own broadcast and there is no server S_k in the second answer set SRVS^T such that the associated answer set REPLIES^T ⊂ the second answer set SRVS^T.

15. (currently amended) The method of claim 14 further comprising the step of accepting the e-ticket if S_i receives its own broadcast and the answer set REPLIES^T ⊂ the second answer set SRVS^T.

16. (currently amended) The method of claim 14 further comprising the step of rejecting the e-ticket if S_i has received its own broadcast and the answer set REPLIES^T is not a subset of the second answer set SRVS^T.

17. (currently amended) The method of claim 14 further comprising the step of:

d) rejecting the e-ticket if the answer set REPLIES^T ⊂ the second answer set SRVS^T and S_i has not received its own broadcast.

18. (original) The method of claim 10 wherein the e-ticket represents a prior reservation of goods or services.

Application No.: 09/839,664
Response to OA of 06/156/05

19. (original) The method of claim 13 wherein broadcasts are performed in accordance with a selected one of a pure atomic broadcast, a general broadcast, a CT-broadcast, and an OPT-broadcast protocol.